

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|---|------------------|---------|------------------|
| L1 | 0 | 726/11 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 11:14 |
| L2 | 7124 | "726"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 11:14 |
| L3 | 905 | 2 and (address\$3 near2 (translat\$4 or exchang\$3 or replac\$3 or modif\$3 or chang\$4 map\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 13:02 |
| L4 | 450 | 3 and (secur\$3 near2 (associat\$4 or value relat\$3 relationship exchang\$3 connect\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 13:03 |
| L5 | 241 | 4 and (address\$3 near2 (rout\$3 table database stor\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 13:03 |
| L6 | 41 | 5 and @ad<"19980305" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 13:03 |
| L7 | 4 | 6 and (IP adj secur\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 13:04 |
| L8 | 6 | 6 and ((IP adj secur\$3) ipsec) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 13:04 |
| L9 | 6254 | 713/201 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 13:02 |
| L10 | 22472 | "713"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 13:02 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| L11 | 1973 | 10 and (address\$3 near2 (translat\$4 or exchang\$3 or replac\$3 or modif\$3 or chang\$4 map\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 13:33 |
| L12 | 502 | 11 and (secur\$3 near2 (associat\$4 or value relat\$3 relationship exchang\$3 connect\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 13:34 |
| L13 | 258 | 12 and (address\$3 near2 (rout\$3 table database stor\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 13:34 |
| L14 | 72 | 13 and @ad<"19980305" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 13:35 |
| L15 | 6 | 14 and ((IP adj secur\$3) ipsec) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 13:04 |
| L16 | 3 | 14 and ((packet\$ same header) and (port and ((authentica\$ or verif\$ or valid\$) near2 address\$))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 13:10 |
| L38 | 7498 | 370/389,392,474.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 14:46 |
| L39 | 1273 | 38 and (address\$3 near2 (translat\$4 or exchang\$3 or replac\$3 or modif\$3 or chang\$4 map\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 14:47 |
| L42 | 96 | 39 and (secur\$3 near2 (associat\$4 or value relat\$3 relationship exchang\$3 connect\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 14:48 |
| L43 | 75 | 42 and (address\$3 near2 (rout\$3 table database stor\$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 14:48 |

| | | | | | | |
|-----|---|-----------------------|---|----|----|------------------|
| L44 | 7 | 43 and @ad<"19980305" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 14:48 |
|-----|---|-----------------------|---|----|----|------------------|